


BULLETIN No. 56




Harvey Hogs

For Saw Mills, Pulp Mills,
Planing Mills, Etc.




GENERAL VIEW SHOWS RIGHT HAND MACHINE.

The following pages illustrate this hog which has many advantages practical mill men will see at a glance. BUILT FOR SERVICE.



READY FOR CHANGING KNIVES.

Showing quick accessibility raise hinged hood, slide spout to one side and disc is fully exposed. Can be opened for inspection in one minute. The knives should project 9-16" beyond disc and should clear bed knife 1-16". Bed knife has four cutting edges. In setting knives, disc should be turned slowly by hand to see if in proper clearance before running.




REAR VIEW SHOWING SAFETY DEVICE, ALSO SIMPLICITY OF DESIGN—
ALL PARTS EASY TO GET AT, ETC.

This machine consists of a base which is extra heavy with two long bearings, extra large arbors and a CAST STEEL DISC, web center drive pulley, spout and cover combined to make the most substantial, simple and practical machine on the market for cutting wood refuse.

The Greatest Improvement in Hogs Found in the "Safety Device"

It will be noted that the disc is held in proper position by two lugs forming a safety appliance so that should any metal get into the machine the lugs break and allow the disc to slide back, giving chance for metal to pass through. Extra safety lugs are furnished with each machine.



Built in Two Sizes

Size Disc	H. P.	Rev.	Pulley	Spout	Shaft	No. Knives	Size	Weight
60 in.	65	800	28x17	21 in. x 12 in.	6 in.	15	8½x8½x5/8	9500
48 in.	45	1000	20x15	18 in. x 9 in.	5 in.	12	7x8x5/8	5500

Each machine is furnished with two sets of knives and two safety lugs. Furnished either right or left hand, shaft may project from either side of machine.

Lufkin Foundry & Machine Company, Lufkin, Texas